

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Applicant: Chou et al.	Patent No.: 7,340,567 B1
App. No.: 10/824,307	Issue Date: March 4, 2008
Filed: April 14, 2004	Con. No.: 5980
Title: VALUE PREDICTION FOR MISSING READ OPERATIONS INSTANCES	Art Unit: 2187
	Examiner: Nguyen, Hiep T.

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.322**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Applicant hereby requests a Certificate of Correction under 37 C.F.R. § 1.322 be issued for the above patent, in accordance with the attached request.

The Patent Office has incorrectly identified the claim dependencies of claims 23 and 55. Claim 23 should depend from claim 22 and claim 55 should depend from 52.

All errors sought to be corrected were made by the Patent Office. Therefore, the Assignee believes no fee is due with this filing. However, should any fees or petitions be required, please consider this a request therefor and authorization to charge Deposit Account No. 04-1415 as necessary.

Should the Examiner have any questions, please contact the undersigned attorney.

Dated: April 9, 2008

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Gregory P. Dyrbin', is written over a horizontal line.

Gregory P. Dyrbin, Registration No. 42,503  
Attorney for Applicant  
USPTO Customer No. 66083

DORSEY & WHITNEY LLP  
Republic Plaza Building, Suite 4700  
370 Seventeenth Street  
Denver, Colorado 80202-5647  
Phone: (303) 629-3400  
Fax: (303) 629-3450

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

**PATENT NO.** : 7,340,567 B1  
**ISSUE DATE** : March 4, 2008  
**INVENTOR(S)** : Yuan C. Chou et al.

**It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:**

In column 12, at line 32, please delete "21" and insert --22--.

In column 14, at line 56, please delete "53" and insert --52--.

Mailing address of Sender:

Dorsey & Whitney LLP  
Republic Plaza Building, Suite 4700  
370 Seventeenth Street  
Denver, CO 80202-5647  
Phone: (303) 629-3400  
Fax: (303) 629-3450  
USPTO Customer No.: 66083

Patent No 7,340,567 B1